



Floor Board  
SPC


**Waseem Qazi**  
Co-Founder

Phone: +61 427 429 777  
Address: 67 Station Rd, Oak Park,  
3046, Vic, Australia  
[info@wisco.com.au](mailto:info@wisco.com.au)



# Product Information

- 100% waterproof
- Floating floor installation only
- Micro-bevel to all 4 sides
- Easy click system for quick and easy installation
- Water based UV ceramic ultra matt coating
- High definition film
- Latest SPC core offers unrivalled stability
- Easy to clean and maintain
- 20 year residential warranty
- 10 year light commercial warranty
- Gold- Environmental rating



| CHARACTERISTICS                  | TEST METHOD                                  | RESULT                       |
|----------------------------------|----------------------------------------------|------------------------------|
| Surface treatment                |                                              | UV                           |
| Dimension                        | EN427                                        | Passed                       |
| Dimension stability              | ISO23999:2008                                | Shrinkage≤0.07%, curling≤1mm |
| Overall Thickness                | EN428                                        | Passed                       |
| Dynamic coefficient of friction  | EN 14041:2004/AC:2006                        | Passed                       |
| Formaldehyde Emission            | EN717-1:2004                                 | Passed                       |
| Water tightness test             | EN14041:2004/AC:2006 & EN13553:2017 Annex A  | Passed                       |
| Fire classification              | EN 13501-1:2007+A1:2009                      | Class Bfl                    |
| Thermal conductivity             | EN 14041:2004/AC:2006 & EN12667:2006         | Passed                       |
| Phthalates content               | EN 71-3:2013+A2:2017                         | Passed                       |
| VOC                              | ASTM Standard D 5116-06 and ISO 16000-9:2011 | Passed                       |
| Airborne sound transmission loss | ASTM E90-09/ASTM E413-10                     | Passed                       |
| Impact insulation class          | ASTM E989-06(2012)                           | Passed                       |
| Resistance to staining           | ISO 26987:2008                               | Not affected                 |
| Effect of a castor chair         | ISO 4918:2016                                | No visible damage            |
| Pentachlorophenol(PCP)           | EN14041:2004 ANNEX B & EN 12673:1999         | Not Detected                 |



## Regular Size

Leng: 610mm (24") ; 635mm(25"); 915mm (36"); 1220mm (48"); 1530mm (60"); 1830mm (72")

Width: 128mm (5"); 152mm (6"); 183mm (7"); 230mm (9"); 310mm (12"); 475mm (18")

Thickness: 3.5mm - 8mm



3051



3052



3053



3054



3055



3056



3057



3058



3059



1551



1552



1553



1554



1555



1651



1652



1653



1654



Europe Oak



8802



8803



8804



8805



8806



8807



8808



8809



8810



8811



8812



8813



8820



8821



8822



8814



8815



8816



8823



8824



8825



8817



8818



8819




8826



8827



8828



8829



8830



8831



8832



8833



5182



5183



5184



5185



Natural Oak



5186



5187



5188



5197



5198



5199



5189



5190



5191



5201



5202



5203



5194



5195



5196



5204



5205



5206



# Nordic Tale



9433



9434



9435



9436



9437



9438



9441



9442



9443



9444



9445



9446



9453



9454



9455



9447



9448



9449



9456



9457



9458



9450



9451



9452



Oceania Style



2106



2107



2108



2109



2110



2111



2112



2113



2114



2115



2116



2117



2124



2125



2126



2118



2119



2120



2127



2128



2129



2121



2122



2123



2130



2131



2132



2133



2134




2135



2136



2137



2138



2139



2140



2141



**American Style**



1043



1044



1045



1057



1058



1059



1046



1047



1048



1060



1061



1062



1049



1050



1056



1063



1064



1065



1066



1067



1068



1069



1070



1071



1072



8365



83021



Aegean Myth



83022



83023



83024



83031



83032



83033



83025



83026



83027



83034



83035



83036



83028



83029



83030



83037



83038



83039



83040



83041



83042



83043



83044



83112



Latino Passion



9871



9872



9873



9880



9881



9882



9874



9875



9876



9883



9884



9885



9877



9878



9879



9886



9887



9888



9889



9890



9891



9898



9899



9900



9892



9893



9894



9901



9902



9903



9895



9896



9897



9904



9905



9906



9907




9908



9909



9916



9917



9918



9910



9911



9912



9919



9920



9921



9913



9914



9915



9922



9923



9924



9925



9926



9927



9934



9935



9936



9928



9929



9930



9937



9938



3001



9931



9932



9933



3002



3003



3004



# Oriental Romantic



9141



9142



9143



9144



9145



9146



9147



9148



9149



9150



9151



9152



9159



9160



9161



9153



9154



9155



9162



9163



9164



9156



9157



9158



9165



9166



9167



9168



9169



9170



9171



9172



9173



9174



9175



9176



Rustic Style



9177



9178



2985



2992



2993



2994



2986



2987



2988



2995



2996



2997



2989



2990



2991



2998



2999



3000



# Herringbone




HR301



HR302



HR303




HR304



HR305



HR306



HR307



HR308



HR309



HR310



2017-1-2017



7057-13-2018



7396-2019



89706-001--2020



89706-007-2021



89706-008-2022



8817-2-2023



8817-9-2024



23019-7-2025

# Marble & Stone



89711-002-2026



40008-B-2029




89730-011-2032



89711-005-2027



6522-1-2030



23019-4-2033



89712-008-2028



101-9-2031



2381-2034

## SPC Floor Molding & Trims

- Matching for SPC/LVT/WPC flooring thickness 4mm-7.5mm

|                                                                                       |                         |                                                                                       |                         |
|---------------------------------------------------------------------------------------|-------------------------|---------------------------------------------------------------------------------------|-------------------------|
|    | <b>T-molding</b>        |    | <b>Reducer</b>          |
|                                                                                       | Size(mm): 2400*45*7     |                                                                                       | Size(mm): 2400*45*8     |
|                                                                                       | Packing: 20pc/ctn       |                                                                                       | Packing: 20pc/ctn       |
|                                                                                       | Weight: 14KGS           |                                                                                       | Weight: 14.3KGS         |
|    | <b>End Cap</b>          |    | <b>Quarter Round</b>    |
|                                                                                       | Size(mm): 2400*35*8     |                                                                                       | Size(mm): 2400*28*17    |
|                                                                                       | Packing: 20pc/ctn       |                                                                                       | Packing: 40pc/ctn       |
|                                                                                       | Weight: 13.4KGS         |                                                                                       | Weight: 16.26KGS        |
|   | <b>Stair Nose</b>       |   | <b>Skirting-80</b>      |
|                                                                                       | Size(mm): 2400*55*18    |                                                                                       | Size(mm): 2400*80*15    |
|                                                                                       | Packing: 10pc/ctn       |                                                                                       | Packing: 10pc/ctn       |
|                                                                                       | Weight: 11KGS           |                                                                                       | Weight: 18KGS           |
|  | <b>Flush Stair Nose</b> |  | <b>Skirting-80</b>      |
|                                                                                       | Size(mm): 2400*115*25   |                                                                                       | Size(mm): 2400*80*12    |
|                                                                                       | Packing: 6pc/ctn        |                                                                                       | Packing: 10pc/ctn       |
|                                                                                       | Weight: 18KGS           |                                                                                       | Weight: 18KGS           |
|  | <b>Flush Stair Nose</b> |  | <b>Skirting-90</b>      |
|                                                                                       | Size(mm): 2400*72*25    |                                                                                       | Size(mm): 2400*90*15    |
|                                                                                       | Packing: 6pc/ctn        |                                                                                       | Packing: 10pc/ctn       |
|                                                                                       | Weight: 18KGS           |                                                                                       | Weight: 19.5KGS         |
|  | <b>Underlay(White)</b>  |  | <b>Underlay (Silve)</b> |
|                                                                                       | Size(mm): 1mm, 2mm      |                                                                                       | Size(mm): 1mm, 2mm      |
|                                                                                       | Packing: 20m2/Roll      |                                                                                       | Packing: 20m2/Roll      |
|                                                                                       | Weight: 1KGS            |                                                                                       | Weight: 1KGS            |